L	Hits	Search Text	DB	Time stamp
Number 1	2	("6745284" "6606630").pn.	USPAT	2004/06/07
2	0	("6745284" "6606630").pn.and quer\$3	USPAT	12:22 2004/06/07
3	0	("6745284" "6606630").pn.and quer\$5	USPAT	12:22 2004/06/07 12:22
-	1128	(hba or (host adj bus adj adapter))	USPAT	2004/06/03
-	11	(hba or (host adj bus adj adapter)) and	USPAT	2004/06/02 14:55
-	1	(hba or (host adj bus adj adapter)) near15 (access\$3 or address\$2) with	USPAT	2004/06/02
-	9	(table or list)and port with login (hba or (host adj bus adj adapter)) near15 (access\$3 or address\$2) with	USPAT	2004/06/02 14:59
_	3	<pre>(table or list) (hba or (host adj bus adj adapter)) and hardware\$1 near10 (access\$3 or address\$2) with (table or list)</pre>	USPAT	2004/06/02 15:00
-	1372	(hba\$1 or (host adj bus adj adapter\$1))	USPAT	2004/06/03
-	0	(hba\$1 or (host adj bus adj adapter\$1))near15 (list\$1 or	USPAT	2004/06/03
_	6	table\$1)near15 port\$1 with login (hba\$1 or (host adj bus adj adapter\$1))and (list\$1 or table\$1)near15	USPAT	2004/06/03 09:59
-	0	port\$1 with login (hba\$1 or (host adj bus adj adapter\$1))and (list\$1 or table\$1)near15 port\$1 adj login	USPAT	2004/06/03 09:59
-	0	(hba\$1 or (host adj bus adj adapter\$1))with port\$1 adj login	USPAT	2004/06/03
-	0	and(list\$1 or table\$1) (hba\$1 or (host adj bus adj adapter\$1))with port\$1 adj login	USPAT	2004/06/03
-	52	port\$1 adj login	USPAT	2004/06/03
-	49	port\$1 adj login and (list or table)	USPAT	2004/06/03
-	2	port\$1 adj login near15 (list or table)	USPAT	2004/06/03 10:00
-	2	port\$1 adj login near15 (list\$1 or table\$1)	USPAT	2004/06/03 10:06
_	0	port\$1 adj login near15 (list\$1 or table\$1)and (hba or (host adj bus adj adapter))	USPAT	2004/06/03
_	1166	(hba or (host adj bus adj adapter\$1)) withport\$1 adj login	USPAT	2004/06/03
_	0	(hba or (host adj bus adj adapter\$1)) with port\$1 adj login	USPAT	2004/06/03 10:07
_	0	(hba or (host adj bus adj adapter\$1)) with port\$1 near3 login	USPAT	2004/06/03
-	1166	(hba or (host adj bus adj adapter\$1)) andport\$1 adj login	USPAT	2004/06/03
_	10	(hba or (host adj bus adj adapter\$1)) and port\$1 adj login	USPAT	2004/06/03
-	9	(hba or (host adj bus adj adapter\$1)) and port\$1 adj login and (list\$1 or table\$1)	USPAT	2004/06/03
_	37	(hba or (host adj bus adj adapter\$1)) and (authoriz\$6 or access\$4) with device\$1 with (list\$1 or table\$1)	USPAT	2004/06/03
_	9	(hba or (host adj bus adj adapter\$1)) and (authoriz\$6 or access\$4) with device\$1	USPAT	2004/06/03 10:14
_	5	with (list\$1 or table\$1) and login (hba or (host adj bus adj adapter\$1)) and (authoriz\$6 or access\$4) with device\$1	USPAT	2004/06/03
		with (list\$1 or table\$1)and login with port		

-	3	(hba or (host adj bus adj adapter\$1)) and target with device\$1 with (list\$1 or	USPAT	2004/06/03 10:32
_	0	tabĺe\$1)and login with port (hba or (host adj bus adj adapter\$1))	USPAT	2004/06/03
		with login with port		10:33
-	12	(hba or (host adj bus adj adapter\$1)) and login with port	USPAT	2004/06/03
-	48	(hba or (host adj bus adj adapter\$1))	USPAT	2004/06/03
_	949	<pre>with (list\$1 or table\$1) target with device\$1 with (list\$1 or</pre>	USPAT	2004/06/03
_	0	table\$1) target with device\$1 with (list\$1 or	USPAT	10:50 2004/06/03
_	0	table\$1) with port near2 login device\$1 with (list\$1 or table\$1) with	USPAT	10:50 2004/06/03
_	16	port near2 login (list\$1 or table\$1) with port near2 login	USPAT	10:51 2004/06/03
_	0	authoriz\$5 with port near2 login with	USPAT	10:52 2004/06/03
_	22	device\$1 port near2 login with device\$1	USPAT	10:52 2004/06/03
_	4126		USPAT	10:53 2004/06/03
		access\$4) with device\$1	USPAT	10:54
_	0	(hba or (host adj bus adj adapter))with (list or table\$1) with (authoriz\$6 or	UJIMI	10:54
_	0	access\$4) with device\$1 (hba or (host adj bus adj adapter))near20	USPAT	2004/06/03
		(list or table\$1) with (authoriz\$6 or access\$4) with device\$1		10:54
-	0	adapter with (list or table\$1) with (authoriz\$6 or access\$4) with device\$1	USPAT	2004/06/03 10:55
_	0	and port with login adapter with (list or table\$1) with	USPAT	2004/06/03
		(authoriz\$6 or access\$4) with device\$1 and port\$1 with login		10:55
_	0	adapter with (list or table\$1) with	USPAT	2004/06/03
		(authoriz\$6 or access\$4) with device\$1 and login		10:55
-	39	adapter with (list or table\$1) with (authoriz\$6 or access\$4) with device\$1	USPAT	2004/06/03 10:59
-	46	adapter\$1 with (list or table\$1) with (authoriz\$6 or access\$4 or login) with	USPAT	2004/06/03
_	94	device\$1 (list or table\$1) with (authoriz\$6 or	USPAT	2004/06/03
		access\$4) with login	USPAT	11:09 2004/06/03
_	0	access\$4) with login near2 port\$1		11:09
-	0	access\$4) with login near2 port	USPAT	2004/06/03
-	1	adapter with (list or table\$1) with (authoriz\$6 or access\$4) with login	USPAT	2004/06/03 11:09
_	4	l '	USPAT	2004/06/03 11:19
_	4126		USPAT	2004/06/03
_	6	1	USPAT	2004/06/03
	7	near2 adapter\$1)) and port with login	USPAT	2004/06/03
	′	access\$4 or assign\$6) with device\$1 and	JULIA	11:33
	_	(hba or (host near2 adapter\$1)) and port with login	HCDAM	2004/06/03
_	6	access\$4 or assign\$6) with device\$1 and	USPAT	2004/06/03
		(hba or (host near2 adapter\$1)) and port with login and list\$1		
-	2563		USPAT	2004/06/03
_	6		USPAT	2004/06/03
_	6		USPAT	14:55
	<u> </u>	with login and (access\$4 or authoriz\$6)	l	14:56

Search History 6/7/04 12:40:34 PM Page 2

-	2563	(hba or (host near2 adapter))andport with login and (access\$4 or authoriz\$6)	USPAT	2004/06/03 14:56
_	23	(hba or (host near2 adapter)) and port	USPAT	2004/06/03
	17	with login and (access\$4 or authoriz\$6) (hba or (host near2 adapter))and port	USPAT	14:56 2004/06/03
_	17	with login and (access\$4 or authoriz\$6)	USPAI	15:00
		not ((hba or (host near2 adapter))with		
		port with login and (access\$4 or authoriz\$6))		
_	6	(hba or (host near2 adapter)) and port	USPAT	2004/06/03
		with login with (list\$1 or table\$1)		15:10
-	16	port near2 login with (list\$1 or table\$1)	USPAT	2004/06/03 15:16
-	0	port near2 login with (match\$3 or	USPAT	2004/06/03
	74	found) with (list\$1 or table\$1) port near2 login	USPAT	15:15 2004/06/03
-	/4	poit hearz rogin	OSFAI	15:16
-	3	port near2 login.ab.	USPAT	2004/06/03
_	56	port near2 login and device\$1 with	USPAT	15:18 2004/06/03
		(table\$1 or list\$1 or structure\$1)		15:24
_	56	port near2 login\$3 and device\$1 with (table\$1 or list\$1 or structure\$1)	USPAT	2004/06/03 15:24
_	0	port near2 login\$3 near15 device\$1 with	USPAT	2004/06/03
	1.0	(table\$1 or list\$1 or structure\$1)	USPAT	15:24 2004/06/03
-	16	port near2 login\$3 near15 (table\$1 or list\$1 or structure\$1)	OSFAI	15:34
-	179	assign\$5 with device\$1 near15 (hba or	USPAT	2004/06/03
_	5	adapter\$1) assign\$5 with device\$1 near15 (hba or	USPAT	15:34 2004/06/03
	_	adapter\$1) and port with login\$5		15:35
-	6	assign\$5 with device\$1 near15 (hba or adapter\$1) and login\$5	USPAT	2004/06/03 15:36
-	11	assign\$5 with device\$1 near15 (hba or	USPAT	2004/06/03
	2276	adapter\$1).ab. port\$1 with log\$5 near15(access\$4 or	USPAT	15:36 2004/06/04
	2270	authoriz\$6 or list\$1 or table\$1 or	OSPAI	20:00
_	497	record\$1) port\$1 near2 log\$5 near15(access\$4 or	USPAT	2004/06/04
_	497	authoriz\$6 or list\$1 or table\$1 or	OSPAI	20:00
	1.2	record\$1)	псращ	2004/06/04
_	13	port\$1 near2 log\$5 near15(access\$4 or authoriz\$6 or list\$1 or table\$1 or	USPAT	20:05
		record\$1).ab.		0004/05/04
-	108	port\$1 adj log\$5 near15(access\$4 or authoriz\$6 or list\$1 or table\$1 or	USPAT	2004/06/04 20:30
		record\$1)		
-	1	port\$1 adj log\$5 near15 authoriz\$6	USPAT	2004/06/04
_	37	port\$1 with log\$5 near15 authoriz\$6	USPAT	2004/06/04
	1	port\$1 with log\$5 near15 authoriz\$6 with	USPAT	20:27
	1	(list\$1 or table\$1)		20:27
-	1	(("not" near authoriz\$6)or unauthoriz\$6)with port\$1 adj log\$5	USPAT	2004/06/04
_	89	perform\$3 with port\$1 adj log\$5	USPAT	2004/06/04
	100		HEDAT	20:33
_	138	(perform\$3 or assign\$5 or authoriz\$6 or permiss\$6) with port\$1 adj log\$5	USPAT	20:41
-	0	6622163.URPN.	USPAT	2004/06/04
_	3	6421723.URPN.	USPAT	20:35 2004/06/04
	_		HCDAM	21:05
_	0	assign\$5 with device\$1 near15 port\$1 adj	USPAT	2004/06/04
-	179	assign\$5 with device\$1 near15 (adapter\$1	USPAT	2004/06/04
_	1	or hba) 6421723.URPN. and (list\$1 or table\$1) and	USPAT	20:42
		port with log\$3		21:05
_	1	6421723.URPN. and (list\$1 or table\$1) and port with log\$5	USPAT	2004/06/04
		1 2010 11011 10990	L	1

-	2	6421723.URPN. and (list\$1 or table\$1)	USPAT	2004/06/04 21:11
-	1	6421723.URPN. and (list\$1 or table\$1) and	USPAT	2004/06/04
		(authoriz\$6 or access\$6)		21:11
-	12		USPAT	2004/06/04
		or hba)near15 (list\$1 or table\$1)		21:15
-	3	assign\$5 with device\$1 near15 (adapter\$1	USPAT	2004/06/04
		or hba)near15 (list\$1 or table\$1) near15		21:15
		(authoriz\$6 or permiss\$6 or access\$6 or log\$5)		
_	o	1 - 3 - 1	USPAT	2004/06/04
	Ĭ	with port with login		21:41
l _	o	(hba or (host near2 adapter)) with manag\$6	USPAT	2004/06/04
		with port with log\$6		21:41
l _	35	(hba or (host near2 adapter)) with manag\$6	USPAT	2004/06/04
		with (list\$1 or table\$1)		21:41
-	16		USPAT	2004/06/04
		with (list\$1 or table\$1)near15 device\$1		21:42
l –	14	(hba or (host near2 adapter)) with manag\$6	USPAT	2004/06/04
		with (list\$1 or table\$1)near15 (access\$6		21:42
		or authoriz\$6) with device\$1		
-	0	(hba or (host near2 adapter))with manag\$6	USPAT	2004/06/04
		with (list\$1 or table\$1)near15 (access\$6		21:42
		or authoriz\$6) with (device\$1 or		
		port\$1) and port with log\$5		ļ
-	14		USPAT	2004/06/04
		with (list\$1 or table\$1)near15 (access\$6		21:53
	_	or authoriz\$6) with (device\$1 or port\$1)		0004/05/04
-	9		USPAT	2004/06/04
		identif\$6 near10 device\$1 near10 log\$6	110DD m	22:05
-	9		USPAT	2004/06/04 22:05
		(assign\$6 or identif\$6) near10 device\$1 near10 log\$6		22:05
l _	10		USPAT	2004/06/04
_	10	(assign\$6 or identif\$6) near10 device\$1	JULAI	22:05
		near15 log\$6		
_	31334	target with device\$1	USPAT	2004/06/04
] 31334	302 900		22:23
_	949	target with device\$1 with (list\$1 or	USPAT	2004/06/04
		table\$1)		22:24
_	74	(authoriz\$6 or access\$6) with target with	USPAT	2004/06/04
		device\$1 with (list\$1 or table\$1)		22:24
-	10	(authoriz\$6 or access\$6) with target with	USPAT	2004/06/04
		device\$1 with (list\$1 or table\$1)near15		23:14
		log\$6		
-	1	6745281.pn.	USPAT	2004/06/04
1				23:14
-	0	6745281.URPN.	USPAT	2004/06/04
]			23:14